


OptimalDuct

Easy & Fast installation
Protects the linesets and
the unit
Saves energy
Extends the units life cycle
Aesthetic Design
Paintable
UV-Resistant




the optimal way to
protect your installation

OptimalDuct in 4 different sizes



60 x 40 mm (2.36 x 1.57")



80 x 60 mm (3.15 x 2.36")



90 x 65 mm (3.54 x 2.56")



110 x 75 mm (4.33 x 2.95")

Depending on installation configurations, ducts' contents may vary.

Product features and benefits

1 man job	Use the SpinFix-clip to keep ducts contents strapped while installing the cover. Easy and Fast !	
Protective Film	Dirty hands while installing ? No worries ! Just remove the protective film from the ducts.	
Wide selection of duct sizes	Choose among the 4 different duct sizes available for your professional installation !	
Fast installation	Just click the fittings onto the duct to complete the installation.	

OptimalDuct



CW903
pure white




Black*

See ClimClick offer pg 33




- > In pure white
- > With protective film.
- > Made of rigid PVC, UV-resistant.
- > High quality (usable from -20°C/-4°F to +60°C/140°F in a static position).
- > Thanks to the inside fixation rail, the SpinFix allows you to use cable ties to strap and keep the linesets in place, contributing to the duct rigidity.



	60	80	90	110
Model	ODF.60	ODF.80	ODF.90	ODF.110
Part Nr CW903	0505.00001.017	0505.00101.018	0505.00201.018	0505.00301.019
A = Width	60 mm (2,36")	80 mm (3,15")	90 mm (3,54")	110 mm (4,33")
B = Height	40 mm (1,57")	60 mm (2,36")	65 mm (2,56")	75 mm (2,95")
L=Length	2 M (6,5 ft)	2 M (6,5 ft)	2 M (6,5 ft)	2 M (6,5 ft)
Packing	12 pcs (24M)	8 pcs (16M)	8 pcs (16M)	4 pcs (8M)
Pallet	960 M (480pcs /40 box)	560 M (280 pcs / 35 box)	400 M (200 pcs / 25 box)	320 M (160 pcs / 40 box)

Spinfix



Model	SFIX1000	SpinFix + Cable Ties SFIXCT100
Part Nr	0508.00008.000	0508.00008.023
Packing	1000 pcs (Without Cable Tie)	10 sets (1set = 100x SpinFix & Cable Tie)


Flexy Kit

Protects your linesets from the external unit to the wall.
Saving time when connecting 2 ducts is an art!

CW903 pure white*

- > 1x Flexible hose
- > 2x Flex connector
- > 1x Flex-end
- > 1x Stainless steel clamp

	80	110
Model	OD.FLEX.80	OD.FLEX.110
Part Nr CW903	0505.00114.072	0505.00314.072
A x B	100 x 80 mm (3,94 x 3,15")	120 x 90 mm (4,72 x 3,54")
C (Inside ø)	60 mm (2,36")	80 mm (3,15")
D	90 mm (3,54")	110 mm (4,33")
Hose length	1 M (3,28 ft)	1 M (3,28 ft)
Packing	1 set	1 set
Pallet	80 sets	80 sets



* Flexible Hose and end cap are always in ivory (CI902) colour. SEE ALSO OUR OTHER FLEXIBLE SOLUTIONS in section "Castel Plus"



Adjustable Flat Elbow

CW903 pure white

- > Adjustable between 90° and 135°
- > Uneven wall surfaces or specific installation require OptimalDuct® to be connected at various angles, the adjustable flat bend is the flexible solution for this problem


	80
Model	ODAFE.80
Part Nr CW903	0505.00115.015
Packing	10 pcs
Pallet	TBC



Copyright © 2022 Castel Engineering srl - CAT.AIRCO22v1-1X-F00.00000.020

Connection Piece

CW903 pure white



	60	80	90	110
Model	ODC.60	ODC.80	ODC.90	ODC.110*
Part Nr CW903	0505.00003.015	0505.00103.015	0505.00203.015	0505.00303.015
Packing	10 pcs	10 pcs	10 pcs	10 pcs
Pallet	840 pcs	1680 pcs	1680 pcs	1680 pcs

End Cap

CW903 pure white



	60	80	90	110
Model	ODEC.60	ODEC.80	ODEC.90	ODEC.110
Part Nr CW903	0505.00005.015	0505.00105.015	0505.00205.015	0505.00305.015
Packing	10 pcs	10 pcs	10 pcs	10 pcs
Pallet	840 pcs	1680 pcs	1680 pcs	640 pcs

Wall Cover

CW903 pure white




	60	80	90	110
Model	ODWC.60	ODWC.80	ODWC.90	ODWC.110*
Part Nr CW903	0505.00008.015	0505.00110.015	0505.00210.015	0505.00310.015
Packing	10 pcs	10 pcs	10 pcs	10 pcs
Pallet	1680 pcs	640 pcs	640 pcs	640 pcs

* new part design

Copyright © 2022 Castel Engineering srl - CAT.AIRCO22v1-1X-F00.00000.020

90° Flat Elbow


 CW903 pure white



	60	80	90	110
Model	ODFE.60	ODFE.80	ODFE.90	ODFE.110
Part Nr CW903	0505.00006.015	0505.00106.015	0505.00206.015	0505.00306.015
Packing	10 pcs	10 pcs	10 pcs	10 pcs
Pallet	840 pcs	640 pcs	640 pcs	640 pcs

90° Elbow Bend Inside


 CW903 pure white



	60	80	90	110
Model	ODIC.60	ODIC.80	ODIC.90	ODIC.110
Part Nr CW903	0505.00007.015	0505.00107.015	0505.00207.015	0505.00307.015
Packing	10 pcs	10 pcs	10 pcs	10 pcs
Pallet	840 pcs	1680 pcs	640 pcs	640 pcs

90° Elbow Bend Outside

 CW903 pure white



	60	80	90	110
Model	ODCO.60	ODCO.80	ODCO.90	ODCO.110
Part Nr CW903	0505.00004.015	0505.00104.015	0505.00204.015	0505.00304.015
Packing	10 pcs	10 pcs	10 pcs	10 pcs
Pallet	840 pcs	1680 pcs	1680 pcs	640 pcs

Copyright © 2022 Castel Engineering srl - CAT.AIRCO22v1-1X-F00.00000.020

Duct Reducer

 CW903 pure white



	80	110	110
Model	ODRJ.80.60	ODRJ.110.80	ODRJ.110.90
Part Nr CW903	0505.00108.015	0505.00112.015	0505.00212.015
Packing	10 pcs	10 pcs	10 pcs
Pallet	840 pcs	1680 pcs	840 pcs

Flat Wall Rosette


 CW903 pure white



	60	80	90	110
Model	ODWR.60	ODWR.80	ODWR.90	ODWR.110*
Part Nr CW903	0505.00009.015	0505.00111.015	0505.00211.015	0505.00311.015
Packing	10 pcs	10 pcs	10 pcs	10 pcs
Pallet	840 pcs	1680 pcs	840 pcs	840 pcs

T-Joint

 CW903 pure white



	80	90	110
Model	ODTJ.80	ODTJ.90	ODTJ.110
Part Nr CW903	0505.00109.015	0505.00209.015	0505.00309.015
Packing	10 pcs	10 pcs	10 pcs
Pallet	640 pcs	640 pcs	640 pcs

* new part design

Copyright © 2022 Castel Engineering srl - CAT.AIRCO22v1-1X-F00.00000.020